

[54] CORRUGATED PIPE

[76] Inventor: Shiro Kanao, No. 9-18, Nanpeidai
4-chome, Takatsuki-shi, Osaka,
Japan

[**] Term: 14 Years

[21] Appl. No.: 708,473

[22] Filed: Mar. 5, 1985

[30] Foreign Application Priority Data

Oct. 31, 1984 [JP] Japan 59-45188

[52] U.S. Cl. D23/266

[58] Field of Search D23/40-47,
D23/266; 138/103, 105, 122; 405/43, 45, 48, 49

[56] References Cited

U.S. PATENT DOCUMENTS

D. 213,828 4/1969 Blake D23/45
D. 222,643 11/1971 Martin et al. D23/45
D. 235,100 5/1975 Maroschak D23/45
2,073,335 3/1937 Connell 138/122
3,878,685 4/1975 Schmunk 405/49

3,926,222 12/1975 Shroy et al. 405/49 X
4,113,818 9/1978 Drossbach 405/49 X
4,163,619 8/1979 Fales 405/49
4,175,882 11/1979 Gilead 405/43
4,182,580 1/1980 Hieda et al. 405/49 X
4,624,603 11/1986 Kanao 405/49

Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak, and Seas

[57] CLAIM

The ornamental design for a corrugated pipe, as shown
and described.

DESCRIPTION

FIG. 1 is a side elevational view of a corrugated pipe
showing my new design;
FIG. 2 is an end elevational view thereof;
FIG. 3 is an elevational view taken from the end oppo-
site that shown in FIG. 2;
FIG. 4 is an elevational view taken from the side oppo-
site that shown in FIG. 1;
FIG. 5 is a top plan view thereof; and
FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5*FIG. 6*