United States Patent [19]

Gallagher

[11] Patent Number: Des. 296,475

[45] Date of Patent: ** Jun. 28, 1988

[54]	REFLECTOR FLUORESCENT LAMP		
[76]	Inventor:	Peter C. J. Gallagher, 38 Elan La., Wayne, Pa. 19087	
[**]	Term:	14 Years	
[21]	Appl. No.:	742,731	
[52]	U.S. Cl Field of Sea	Jun. 7, 1985 D26/26; D26/3 rch D26/1, 2, 3, 26;	
	-	317, 318, 113, 115, 116, 493; 362/217, 309, 310, 311, 341, 349, 347, 350, 326	
[56]		References Cited	

U.S. PATENT DOCUMENTS

Re. 30,832 12/1981 La Giusa	
4,197,460 4/1980 Ryall, 31	

OTHER PUBLICATIONS

1 page of drawing, Appln. Ser. Nos. 512,621 and 512,622, P. C. J. Gallagher, Inventor.

Freedom Lighting Brochure, "PERL".

Thermalflash Corporation Brochure, data sheet for 7 Watt Starlite Floodlamp.

Energy Conservation Systems, "PL Lamp, Reflector Floods, Adapters . . . ".

Teron Lighting, "This is a 7 Watt Light Bulb".

1982 GE Catalog, p. 3, Form 9200.

Wotan Dulux D, printed Oct. 1984.

"Beta SP4 Clip-On Reflector", printed Oct. 1984, Beta Lighting.

"The Philips SL*18 Bulb", Mar. 1984, printed-North American Philips Lighting.

"Double Twin Tube", Sylvania Product Info. Bulletin FL-43, printed Mar. 1985.

Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm—Howson and Howson

[57] CLAIM

The ornamental design for a reflector fluorescent lamp, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a reflector fluorescent lamp showing my new design;

FIG. 2 is a front elevational view thereof on a reduced scale, the rear being a mirror image;

FIG. 3 is a top plan view thereof on a reduced scale;

FIG. 4 is a right side elevational view thereof on a reduced scale, the left side being a mirror image;

FIG. 5 is a bottom plan view thereof on a reduced scale; and

FIG. 6 is a top perspective view of a second embodiment of my new design.

The faceting on the top surface of the lens is partially shown for convenience of illustration, it being understood that the faceting is continuous over the area delineated in FIG. 3. The second embodiment differs from the first embodiment only in configuration of the interior fluorescent lamp.





