

[54] TABLE LEG

[75] Inventors: James O. Kelley, Spring Lake, Mich.;
Clino T. Castelli, Milan, Italy

[73] Assignee: Herman Miller, Inc., Zeeland, Mich.

[**] Term: 14 Years

[21] Appl. No.: 812,240

[22] Filed: Dec. 23, 1985

[52] U.S. Cl. D6/495

[58] Field of Search D6/480, 482, 484, 486,
D6/488, 489, 495, 498; 108/64, 65, 150;
248/188

[56] References Cited

U.S. PATENT DOCUMENTS

D. 47,821	9/1915	Huskey		D6/486 X
D. 93,130	8/1934	Race		D6/489
D. 209,406	11/1967	Vaughan		D6/495
D. 249,312	9/1978	Taber		D6/484
D. 280,162	8/1985	Bromley		D6/484
D. 291,951	9/1987	Lorio		D6/482

OTHER PUBLICATIONS

Domus, Mar. 1979, p. 37, Table left center.

Primary Examiner—Bruce W. Dunkins


Attorney, Agent, or Firm—Varnum, Riddering, Schmidt
& Howlett

[57] CLAIM

The ornamental design for a table leg, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a table leg showing our design;
FIG. 2 is a top view thereof, with the bottom view being identical thereto;
FIG. 3 is a front, elevational view thereof, with the rear, left and right side elevational views being identical thereto;
FIG. 4 is a top view of a second embodiment thereof, with the bottom view being identical thereto;
FIG. 5 is a front, elevational view thereof, with the rear, left and right side elevational views being identical thereto;
FIG. 6 is a front, elevational view of a third embodiment thereof, with the rear, left and right side elevational views being identical thereto;
FIG. 7 is a top view thereof, with the bottom view being identical thereto;
FIG. 8 is a front, elevational view of a fourth embodiment thereof, with the rear, left and right side elevational views being identical thereto;
FIG. 9 is a top view thereof, with the bottom view being identical thereto;
FIG. 10 is a front, elevational view of a fifth embodiment thereof, with the rear, left and right side elevational views being identical thereto;
FIG. 11 is a top view thereof, with the bottom view being identical thereto;
FIG. 12 is a front, elevational view of a sixth embodiment thereof, with the rear, left and right side elevational views being identical thereto; and
FIG. 13 is a top view thereof, with the bottom view being identical thereto.
Broken lines in the figures are for illustrative purposes only and represent environment in connection with which the invention is used, namely, a tabletop.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 9




FIG. 6




FIG. 8




FIG. 11




FIG. 13




FIG. 10




FIG. 12