

[54] BATTERY CHARGER

[75] Inventor: Toyomi Arita, Sumoto, Japan

[73] Assignee: Sanyo Electric Co., Ltd., Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 746,281

[22] Filed: Jun. 19, 1985

[30] Foreign Application Priority Data

Dec. 19, 1984 [JP] Japan ..... 59-52331

[52] U.S. Cl. .... D13/5

[58] Field of Search ..... D13/5-6,  
D13/8, 32, 99; 320/2-5, 15, 59

[56] References Cited

U.S. PATENT DOCUMENTS

D. 250,469 12/1978 Kelly, III et al. .... D13/5

D. 277,844 3/1985 Toews ..... D13/5

D. 278,702 5/1985 Chiodo et al. .... D13/5

3,209,230 9/1965 Mas ..... 320/4

3,579,075 5/1971 Floyd ..... D13/5

4,409,536 10/1983 Evjen ..... 320/2

Primary Examiner—Wallace R. Burke

Assistant Examiner—Ruth Takemoto

Attorney, Agent, or Firm—Darby & Darby

[57] CLAIM

The ornamental design of a battery charger, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a battery charger showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof, the left side being a mirror image;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof; and

FIG. 6 is a bottom plan view thereof.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

