

[54] CAMERA

[75] Inventors: Tetsuya Goto, Kanagawa; Yoshihisa Minakawa, Chiba, both of Japan

[73] Assignee: Ricoh Company, Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 923,693

[22] Filed: Oct. 27, 1986

[30] Foreign Application Priority Data

Apr. 30, 1986 [JP] Japan 61-016265

[52] U.S. Cl. D16/6; D16/1; D16/5

[58] Field of Search D16/1-10; 354/83-86, 149.11, 152, 173.1, 173.11, 204, 212, 287 A-288 F, 288 M, 288 P, 288 U

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 284,768 7/1986 Nakayama D16/1 X
- D. 289,176 4/1987 Yoshida et al. D16/5 X
- D. 290,712 7/1987 Shis D16/6
- 4,653,883 3/1987 Maeno 354/149.11 X

OTHER PUBLICATIONS

35 mm Photography, 2/86, p. 4, bottom right-Konica Pop-AF.

35 mm Photography, 11/84, p. 41, Yashica AF.

35 mm Photography, 1/86, p. 57, top-Olympus Trip AF MD.

Primary Examiner—Bernard Ansher
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Oblon, Fisher, Spivak, McClelland & Maier

[57] CLAIM

The ornamental design for camera, as shown and described.

DESCRIPTION

FIG. 1 is a front and top-right perspective view of a camera showing our new design; FIG. 2 is a rear and top left perspective view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a front and top-right perspective view thereof with the lens barrier in a closed position; FIG. 5 is a front and top-right perspective view thereof with the flash in an extended position; FIG. 6 is a rear and top-left perspective view thereof with the eyepiece lens cover in a closed position; and FIG. 7 is a front and top-right perspective view thereof with the lens in an extended position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

