

[54] ELECTRONIC DRUM PAD

[75] Inventor: Jürgen Johannes, Munich, Fed. Rep. of Germany

[73] Assignee: Dynacord Electronic- und Gerätebau GmbH & Co. KG, Straubing, Fed. Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 789,743

[22] Filed: Oct. 21, 1985

[30] Foreign Application Priority Data

Jun. 20, 1985 [DE] Fed. Rep. of Germany MR 186
[52] U.S. Cl. D17/22
[58] Field of Search D17/22, 99; 84/411, 84/411 A, 411 M, 411 P, 419, 420, 421

[56] References Cited

U.S. PATENT DOCUMENTS

D. 174,401	4/1955	Smirim	D17/22
3,551,580	12/1970	Glenn et al.	84/1.14 X
4,179,974	12/1979	Trankle	84/411 P
4,691,611	9/1987	May	84/DIG. 12 X

Primary Examiner—Bernard Ansher
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Staas & Halsey

[57] CLAIM

The ornamental design for an electronic drum pad, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front and right side perspective view of an electronic drum pad showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left side elevational view thereof; and
FIG. 7 is a right side elevational view thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

