

[54] TRAILER BORNE AIR-INFLATED SAFETY CUSHION


[76] Inventor: Thomas Dawson, 1285 Dry Ridge Rd., St. Louis County, Mo. 63131
[**] Term: 14 Years
[21] Appl. No.: 864,896
[22] Filed: May 19, 1986
[52] U.S. Cl. D29/6; D29/1; D12/101
[58] Field of Search D29/6, 1; D6/605, 596, D6/595; 114/344; 272/3; 5/20; 296/181; D12/101

[56] References Cited
U.S. PATENT DOCUMENTS
4,157,200 6/1979 Johnson 114/344
4,664,401 5/1987 Carrick 114/344
FOREIGN PATENT DOCUMENTS
1096789 1/1961 Fed. Rep. of Germany 114/344
2351856 12/1977 France 114/344
441019 1/1968 Switzerland 114/344

2116126 9/1983 United Kingdom 296/181
Primary Examiner—Wallace R. Burke
Assistant Examiner—Kay H. Chin
Attorney, Agent, or Firm—Kalish & Gilster

[57] CLAIM
The ornamental design for a trailer borne air-inflated safety cushion, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a trailer borne air-inflated safety cushion showing my new design, with the safety cushion in collapsed and folded condition. The opposite side elevational view being a mirror image of that shown;
FIG. 2 is a perspective view of a trailer borne air-inflated safety cushion, with the safety cushion in air inflated condition;
FIG. 3 is a top plan view of the air-inflated safety cushion, it being understood that the safety cushion is shown separately for convenience of illustration;
FIG. 4 is a front elevational view of FIG. 3, the rear elevational view being a mirror image of that shown. The bottom of the safety cushion is flat and unornamented.






FIG. 1




FIG. 2




FIG. 3




FIG. 4