

[54] RECONFIGURABLE TOY VEHICLE
[75] Inventor: Hideaki Yoke, Tokyo, Japan
[73] Assignee: Takara Co., Ltd., Tokyo, Japan
[**] Term: 14 Years
[21] Appl. No.: 817,829
[22] Filed: Jan. 10, 1986

[30] Foreign Application Priority Data
Oct. 4, 1985 [JP] Japan 60-41659
[52] U.S. Cl. D21/134; D21/150;
D21/166
[58] Field of Search D21/59, 150, 128, 134,
D21/166; D12/13, 95, 96, 93, 90; 446/71, 72,
77, 76, 94, 97, 383, 381, 487

[56] References Cited
U.S. PATENT DOCUMENTS
D. 238,801 2/1976 Goldfarb et al. D21/134
D. 275,872 10/1984 Peter et al. D21/134
D. 277,494 2/1985 Lerch D21/134
D. 279,806 7/1985 Stern et al. D21/134
D. 285,466 9/1986 Ohno D21/150
D. 292,109 9/1987 Lim D21/150

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—Price, Gess & Ubell

[57] CLAIM
The ornamental design for a reconfigurable toy vehicle,
substantially as shown and described.

DESCRIPTION
FIG. 1 is a front perspective view of a reconfigurable
toy vehicle showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof, the side
opposite being a mirror image;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front perspective view of the design shown
in FIGS. 1 through 6 reconfigured into a robotic hu-
manoid configuration;
FIG. 8 is a front elevational view thereof;
FIG. 9 is a right side perspective view thereof, the side
opposite being a mirror image;
FIG. 10 is a rear elevational view thereof;
FIG. 11 is a top plan view thereof; and
FIG. 12 is a bottom plan view thereof.





FIG. 2




FIG. 3




FIG. 1




FIG. 4




FIG. 5




FIG. 6




FIG. 9




FIG. 8




FIG. 7




FIG.10




FIG.11




FIG.12

