

[54] COMBINED CLOCK AND COMB WITH SHEATH

[76] Inventor: Jui C. Tsai, 2nd Fl., 349, Nanking E. Rd., Sec. 5, Taipei, Taiwan

[**] Term: 14 Years

[21] Appl. No.: 784,103

[22] Filed: Oct. 4, 1985

[52] U.S. Cl. D28/25; D10/31

[58] Field of Search D28/21, 24-31; 132/11 R, 143, 148, 150, 103; 368/278; D10/31

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 276,188 10/1984 Metzner D28/25
- 1,539,781 5/1925 Smythe D10/31 X
- 1,896,117 2/1933 Tipton 132/143 X

- 2,357,539 9/1944 Palat 132/143
- 2,420,576 5/1947 Tupper 132/103


Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Holman & Stern

[57] CLAIM

The ornamental design for a combined clock and comb with sheath, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined clock and comb with sheath showing my new design;
 FIG. 2 is a front elevational view;
 FIG. 3 is a rear elevational view;
 FIG. 4 is a left side elevational view;
 FIG. 5 is a right side elevational view;
 FIG. 6 is a top plan view;
 FIG. 7 is a bottom plan view; and
 FIG. 8 is an exploded perspective view.






FIG.1




FIG. 2




FIG. 3



FIG.4



FIG.5



FIG. 7



FIG. 6




FIG.8