

[54] TEMPERATURE AND HUMIDITY
INDICATOR

[76] Inventor: Stephen H. Wolff, 222 E. 35th St.,
New York, N.Y. 10016

[**] Term: 14 Years

[21] Appl. No.: 764,337

[22] Filed: Aug. 12, 1985

[52] U.S. Cl. D10/53

[58] Field of Search D10/26, 57, 53, 52,
D10/55, 56; D19/20, 21; 73/335, 337, 337.5

[56] References Cited

U.S. PATENT DOCUMENTS

D. 142,431 9/1945 Lewis D10/26 X
D. 151,959 12/1948 Bowers D10/53
D. 187,669 4/1960 Monson D10/57 X
D. 201,452 6/1965 Shipley D10/26
D. 223,211 3/1972 Laughlin D10/57
D. 242,329 11/1976 Van Kersen D10/57

D. 259,184 5/1981 Francis D10/26 X
D. 288,536 3/1987 Tanaka D10/52 X
2,093,767 9/1937 Rollefson D10/52 X
3,521,488 7/1970 Preiser 73/337.5 X
4,384,416 5/1983 Kanzenberger D10/26 X


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Jacobs & Jacobs

[57] CLAIM

The ornamental design for a temperature and humidity
indicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a temperature and hu-
midity indicator showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof; and
FIG. 6 is a right side elevational view thereof, the left
side being a mirror image thereof.






FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6