

[54] AUTOMOTIVE SAFETY LAMP LENS

[75] Inventor: Kenneth J. Scowen, Roselle, N.J.

[73] Assignee: Redondo Investment Limited, Monrovia, Liberia

[**] Term: 14 Years

[21] Appl. No.: 806,881

[22] Filed: Nov. 25, 1985

[52] U.S. Cl. D26/122

[58] Field of Search D26/28-36, D26/119, 120, 121, 122; 362/61, 80, 82, 83, 329-339, 307; 350/451, 452, 501

[56] References Cited

U.S. PATENT DOCUMENTS

2,510,344	6/1950	Law	350/452	X
2,748,263	5/1956	Franck et al.	362/339	X
3,708,222	1/1973	Stern	350/452	X
3,797,915	3/1974	Land et al.	350/452	X
3,883,733	5/1975	Nagel	362/334	X
4,460,942	7/1984	Pizzuti et al.	362/307	X
4,535,240	8/1985	Vigurs	350/452	X


Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—David H. Semmes; Warren E. Olsen

[57] CLAIM

The ornamental design for an automotive safety lamp lens, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of an automotive safety lamp lens showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof, the right side being a mirror image; FIG. 6 is a front elevational view thereof; FIG. 7 is a cross-sectional view as taken along line 7—7 of FIG. 2 on an enlarged scale; and FIG. 8 is a cross-sectional view thereof as taken along line 8—8 of FIG. 2 on an enlarged scale. The horizontal ribs on the front surface are omitted from FIGS. 1 and 2 and the concentric Fresnel pattern on the rear surface is omitted from FIG. 6 for clarity of disclosure.











FIG. 5




FIG. 6



FIG. 7



FIG. 8