

[54] **BOLSTER FOR SUPPORTING A REINFORCING CAGE WITHIN A PIER HOLE**

[76] Inventor: **Thomas W. Foster, Jr.**, 3901 Shady Valley Dr., Arlington, Tex. 76013

[\*\*] Term: **14 Years**

[21] Appl. No.: **809,406**

[22] Filed: **Dec. 16, 1985**

[52] U.S. Cl. .... **D25/133**

[58] Field of Search ..... 52/296, 297, 298, 299, 52/292; 405/231, 244, 257; D25/126, 133

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 272,473 1/1984 Larsson ..... D25/133
- 3,630,474 12/1971 Miner ..... D25/133 X
- 4,439,071 3/1984 Roper, Jr. .... 405/257 X

*Primary Examiner*—A. Hugo Word

*Attorney, Agent, or Firm*—Charles W. McHugh

[57] **CLAIM**

The ornamental design for a bolster for supporting a

reinforcing cage within a pier hole, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment showing my design for a bolster for supporting a reinforcing cage within a pier hole;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a side elevational view thereof, with both side views being essentially identical; and

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a perspective view showing a second embodiment of my design for a bolster for supporting a reinforcing cage within a pier hole;


FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom plan view thereof;

FIG. 10 is a front elevational view thereof;

FIG. 11 is a side elevational view thereof, with both side views being essentially identical; and

FIG. 12 is a rear elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12