United States Patent [19]

Sakai

[11] Patent Number: Des. 297,421

[45] Date of Patent: ** Aug. 30, 1988

[54]	[54] DIGITAL COUNTER FOR POTENTIOMETER		
[75]	Inventor:	Akira Sakai, Fukuoka, Japan	
[73]	Assignee:	Tokyo Metal Co., Ltd., Tokyo, Japan	
[**]	Term:	14 Years	
[21]	Appl. No.:	786,506	
[22] [52] [58]	Filed: Oct. 11, 1985 U.S. Cl		
[56]		References Cited	
U.S. PATENT DOCUMENTS			
D. 206,768 1/1967 Brown			

Primary Examiner—Nelson C. Holtje Attorney, Agent, or Firm—Goodman & Teitelbaum

[57] CLAIM

The ornamental design for a digital counter for potentionmeter, substantially as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a digital counter for potentiometer, showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front elevational view of a modified form of

the digital counter for potentiometer as shown in FIG. 1:

FIG. 8 is a rear elevational view of FIG. 7;

FIG. 9 is a left side elevational view of FIG. 7;

FIG. 10 is a right side elevational view of FIG. 7;

FIG. 11 is a top plan view of FIG. 7;

FIG. 12 is a bottom plan view of FIG. 7;

FIG. 13 is a front elevational view of a second modified form of the digital counter for potentionmeter as shown in FIG. 1;

FIG. 14 is a rear elevational view of FIG. 13;

FIG. 15 is a left side elevational view of FIG. 13;

FIG. 16 is a right side elevational view of FIG. 13;

FIG. 17 is a top plan view of FIG. 13;

FIG. 18 is a bottom plan view of FIG. 13;

FIG. 19 is a front elevational view of a third modified form of the digital counter for potentionmeter as shown in FIG. 1:

FIG. 20 is a rear elevational view of FIG. 19;

FIG. 21 is a left side elevational view of FIG. 19;

FIG. 22 is a right side elevational view of FIG. 19;

FIG. 23 is a top plan view of FIG. 19;

FIG. 24 is a bottom plan view of FIG. 19;

FIG. 25 is a perspective view of the digital counter for potentiometer shown in FIGS. 1-6;

FIG. 26 is a perspective view of the modified form of the digital counter for potentiometer shown in FIGS. 7-12;

FIG. 27 is a perspective view of the second modified form of the digital counter for potentiometer shown in FIGS. 13-18; and

FIG. 28 is a perspective view of the third modified form of the digital counter for potentiometer shown in FIGS. 19-24.




Fig. 1




Fig. 3




Fig. 5




Fig. 2




Fig. 4




Fig. 6






Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 1




Fig. 12





Fig. 13









Fig. 15

Fig. 16







Fig. 17

Fig. 18.








Fig. 19









Fig. 21

Fig. 22








Fig. 23

Fig. 24





.

Fig. 25




Fig. 27




Fig. 26




Fig. 28

