

[54] DIGITAL COUNTER FOR POTENTIOMETER

[75] Inventor: Akira Sakai, Fukuoka, Japan
[73] Assignee: Tokyo Metal Co., Ltd., Tokyo, Japan
[**] Term: 14 Years
[21] Appl. No.: 786,506
[22] Filed: Oct. 11, 1985
[52] U.S. Cl. D10/97
[58] Field of Search D10/97; 116/309-310, 116/318; 235/103, 103.5, 78 R

[56] References Cited
U.S. PATENT DOCUMENTS

Table with 4 columns: Patent No., Date, Inventor, and Classification. Rows include D. 206,768 (Brown), D. 222,594 (Trautmann), D. 245,073 (Taylor), and 3,557,746 (Jungblut).

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Goodman & Teitelbaum

[57] CLAIM

The ornamental design for a digital counter for potentiometer, substantially as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a digital counter for potentiometer, showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front elevational view of a modified form of

the digital counter for potentiometer as shown in FIG. 1;
FIG. 8 is a rear elevational view of FIG. 7;
FIG. 9 is a left side elevational view of FIG. 7;
FIG. 10 is a right side elevational view of FIG. 7;
FIG. 11 is a top plan view of FIG. 7;
FIG. 12 is a bottom plan view of FIG. 7;
FIG. 13 is a front elevational view of a second modified form of the digital counter for potentiometer as shown in FIG. 1;
FIG. 14 is a rear elevational view of FIG. 13;
FIG. 15 is a left side elevational view of FIG. 13;
FIG. 16 is a right side elevational view of FIG. 13;
FIG. 17 is a top plan view of FIG. 13;
FIG. 18 is a bottom plan view of FIG. 13;
FIG. 19 is a front elevational view of a third modified form of the digital counter for potentiometer as shown in FIG. 1;
FIG. 20 is a rear elevational view of FIG. 19;
FIG. 21 is a left side elevational view of FIG. 19;
FIG. 22 is a right side elevational view of FIG. 19;
FIG. 23 is a top plan view of FIG. 19;
FIG. 24 is a bottom plan view of FIG. 19;
FIG. 25 is a perspective view of the digital counter for potentiometer shown in FIGS. 1-6;
FIG. 26 is a perspective view of the modified form of the digital counter for potentiometer shown in FIGS. 7-12;
FIG. 27 is a perspective view of the second modified form of the digital counter for potentiometer shown in FIGS. 13-18; and
FIG. 28 is a perspective view of the third modified form of the digital counter for potentiometer shown in FIGS. 19-24.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28

