

[54] TOP, BOTTOM, BACK, AND ENDS OF A HOUSING WITH A CARRYING CLIP FOR AN ELECTRONIC BAR CODE READER

[75] Inventors: Michael S. Beard, Pineville, N.C.; James M. DeArras, Richmond, Va.; Allen M. Grayson, Charlotte, N.C.; Vernon L. Stant, Richmond, Va.; Frederick M. Weaver, Charlotte, N.C.

[73] Assignee: Hand Held Products, Charlotte, N.C.

[**] Term: 14 Years

[21] Appl. No.: 879,792

[22] Filed: Jun. 27, 1986

Related U.S. Application Data

[63] Continuation of Ser. No. 817,909, Jan. 10, 1986, abandoned.

[52] U.S. Cl. D14/116

[58] Field of Search D14/105, 107, 114, 115, D14/116; 235/454, 470, 472; 250/203 R, 566

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|--------|-------|---------|
| D. 248,946 | 8/1978 | Koenig | | D14/116 |
| 4,420,682 | 12/1983 | Huber | | 235/472 |
| 4,445,028 | 4/1984 | Huber | | 235/472 |
| 4,471,218 | 9/1984 | Culp | | 235/472 |

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Bell, Seltzer, Park & Gibson

CLAIM

The ornamental design for a top, bottom, back, and ends of a housing with a carrying clip for an electronic bar code reader, substantially as shown and described.

DESCRIPTION

FIG. 1 is a back perspective view of the top, bottom,

back, and ends of a housing with carrying clip for an electronic bar code reader showing the new design; FIG. 2 is a back elevational view of the design;

FIG. 3 is a top plan view of the design;

FIG. 4 is a back perspective view of a second embodiment of the design;

FIG. 5 is a back elevational view of this second embodiment;

FIG. 6 is a top plan view of this second embodiment;

FIG. 7 is a back perspective view of a third embodiment of the design;

FIG. 8 is a back elevational view of this third embodiment;

FIG. 9 is a top plan view of this third embodiment;

FIG. 10 is a back perspective view of a fourth embodiment of the design;

FIG. 11 is a back elevational view of this fourth embodiment; and

FIG. 12 is a top plan view of this fourth embodiment.

The end of the housing not shown in the first embodiment (FIGS. 1–3), the second embodiment (FIGS. 4–6), and the third embodiment (FIGS. 7–9) is identical to the end of the housing shown in FIG. 1.


The end of the housing not shown in the fourth embodiment (FIGS. 10–12) is identical to the end of the housing shown in FIG. 7.

The bottom of the housing not shown in the first embodiment (FIGS. 1–3) is identical to the top of the housing shown in FIG. 3.

The bottom of the housing not shown in the second embodiment (FIGS. 4–6) is identical to the top of the housing shown in FIG. 6.

The bottom of the housing not shown in the third embodiment (FIGS. 7–9) is identical to the top of the housing shown in FIG. 9.

The bottom of the housing not shown in the fourth embodiment (FIGS. 10–12) is identical to the top of the housing shown in FIG. 12.






FIG-1




FIG-2




FIG-3




Fig-4




Fig-5




Fig-6




FIG-7




FIG-8




FIG-9




Fig-10




Fig-11




Fig-12