

[54] **TOP, BOTTOM, BACK, AND ENDS OF A HOUSING WITH A CARRYING CLIP FOR AN ELECTRONIC BAR CODE READER**

[75] **Inventors:** Michael S. Beard, Pineville, N.C.; James M. DeArras, Richmond, Va.; Allen M. Grayson, Charlotte, N.C.; Vernon L. Stant, Richmond, Va.; Frederick M. Weaver, Charlotte, N.C.

[73] **Assignee:** Hand Held Products, Charlotte, N.C.

[**] **Term:** 14 Years

[21] **Appl. No.:** 879,792

[22] **Filed:** Jun. 27, 1986

Related U.S. Application Data

[63] Continuation of Ser. No. 817,909, Jan. 10, 1986, abandoned.

[52] **U.S. Cl.** **D14/116**

[58] **Field of Search** **D14/105, 107, 114, 115, D14/116; 235/454, 470, 472; 250/203 R, 566**

References Cited

U.S. PATENT DOCUMENTS

D. 248,946	8/1978	Koenig	D14/116
4,420,682	12/1983	Huber	235/472
4,445,028	4/1984	Huber	235/472
4,471,218	9/1984	Culp	235/472

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Bell, Seltzer, Park & Gibson

[57] **CLAIM**

The ornamental design for a top, bottom, back, and ends of a housing with a carrying clip for an electronic bar code reader, substantially as shown and described.

DESCRIPTION

FIG. 1 is a back perspective view of the top, bottom,

back, and ends of a housing with carrying clip for an electronic bar code reader showing the new design; FIG. 2 is a back elevational view of the design; FIG. 3 is a top plan view of the design; FIG. 4 is a back perspective view of a second embodiment of the design; FIG. 5 is a back elevational view of this second embodiment; FIG. 6 is a top plan view of this second embodiment; FIG. 7 is a back perspective view of a third embodiment of the design; FIG. 8 is a back elevational view of this third embodiment; FIG. 9 is a top plan view of this third embodiment; FIG. 10 is a back perspective view of a fourth embodiment of the design; FIG. 11 is a back elevational view of this fourth embodiment; and FIG. 12 is a top plan view of this fourth embodiment. The end of the housing not shown in the first embodiment (FIGS. 1-3), the second embodiment (FIGS. 4-6), and the third embodiment (FIGS. 7-9) is identical to the end of the housing shown in FIG. 1.


The end of the housing not shown in the fourth embodiment (FIGS. 10-12) is identical to the end of the housing shown in FIG. 7.

The bottom of the housing not shown in the first embodiment (FIGS. 1-3) is identical to the top of the housing shown in FIG. 3.

The bottom of the housing not shown in the second embodiment (FIGS. 4-6) is identical to the top of the housing shown in FIG. 6.

The bottom of the housing not shown in the third embodiment (FIGS. 7-9) is identical to the top of the housing shown in FIG. 9.

The bottom of the housing not shown in the fourth embodiment (FIGS. 10-12) is identical to the top of the housing shown in FIG. 12.






FIG-1




FIG-2




FIG-3




Fig-4




Fig-5




Fig-6




FIG-7




FIG-8




FIG-9




FIG-10




FIG-11




FIG-12