

[54] ELECTRODE PAD FOR ELECTROCARDIOGRAPH

[75] Inventors: Hirokatsu Inoue, Chiba; Chuji Shimizu, Funabashi, both of Japan

[73] Assignee: Fukuda Denshi Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 778,058

[22] Filed: Sep. 20, 1985

[52] U.S. Cl. D24/29; D24/17

[58] Field of Search D24/29, 17, 21, 8; 128/640, 641, 639, 798, 784, 731, 908, 419 R, 419 D

[56] References Cited

U.S. PATENT DOCUMENTS

- 3,961,623 6/1976 Milani et al. 128/639
- 4,365,634 12/1982 Bare et al. 128/640
- 4,643,193 2/1987 DeMarzo 128/640 X

Primary Examiner—Wallace R. Burke
 Assistant Examiner—Stella M. Reid
 Attorney, Agent, or Firm—Pollock, VandeSande & Priddy

[57] CLAIM

The ornamental design for an electrode pad for electrocardiograph, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an electrode pad for electrocardiograph showing our new design;
 FIG. 2 is a side edge view thereof;
 FIG. 3 is a rear edge view thereof;
 FIG. 4 is a front edge view thereof;
 FIG. 5 is a top perspective view thereof;
 FIG. 6 is a bottom perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6

