

[54] ELECTRODE PAD FOR ELECTROCARDIOGRAPH

[75] Inventors: Hirokatsu Inoue, Chiba; Chuji Shimizu, Funabashi, both of Japan

[73] Assignee: Fukuda Denshi Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 778,059

[22] Filed: Sep. 20, 1985

[52] U.S. Cl. D24/29; D24/17

[58] Field of Search D24/29, 17, 21, 8; 128/640, 641, 639, 731, 798, 784, 908, 419 R, 419 D

[56] References Cited
U.S. PATENT DOCUMENTS

4,391,278 7/1983 Cahalan et al. 128/640
4,524,087 6/1985 Engel 128/639 X

Primary Examiner—Wallace R. Burke
Assistant Examiner—Stella M. Reid
Attorney, Agent, or Firm—Pollock, VandeSande & Priddy

[57] CLAIM

The ornamental design for an electrode pad for electrocardiograph, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an electrode pad for electrocardiograph showing our new design;
FIG. 2 is a front edge view thereof;
FIG. 3 is a right edge view thereof;
FIG. 4 is a left edge view thereof;
FIG. 5 is a top perspective view thereof;
FIG. 6 is a bottom perspective view thereof.




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6

