

[54] TEMPERATURE AND HUMIDITY CHAMBER

[75] Inventors: Toshio Yamamoto, Osaka; Mitsuyoshi Futatsuka, Hyogo, both of Japan

[73] Assignee: Tabai Espec Kabushikikaisha, Osaka, Japan

[*] Notice: The portion of the term of this patent subsequent to Aug. 23, 2002 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 667,774

[22] Filed: Nov. 2, 1984

[52] U.S. Cl. D24/1.1

[58] Field of Search D23/72, 77, 82; D24/1.1, 99; 312/236

[56] References Cited

U.S. PATENT DOCUMENTS

D. 204,131 3/1966 Williams, Jr. D23/82

OTHER PUBLICATIONS

Espec Temperature & Humidity Chamber Catalog E85110-A502-submitted by applicant.

Primary Examiner—Catherine E. Kemper


Attorney, Agent, or Firm—Jordan and Hamburg

[57] CLAIM

The ornamental design for a temperature and humidity chamber, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a temperature and humidity chamber showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; and FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 3




FIG. 2




FIG. 5




FIG. 4




FIG. 7




FIG. 6