

[54] SHOTGUN SLING

[75] Inventor: Ramon D. Clatanoff, Burnsville, Minn.
 [73] Assignee: Siirila Corporation, Lincoln, Nebr.
 [**] Term: 14 Years
 [21] Appl. No.: 788,790
 [22] Filed: Oct. 18, 1985
 [52] U.S. Cl. D22/108
 [58] Field of Search D22/108, 103; 224/150, 224/913

[56] References Cited

U.S. PATENT DOCUMENTS

D. 33,384 10/1900 Thorn D22/108
 3,665,632 5/1972 Ford 42/71.01
 4,311,263 1/1982 Bianchi D22/108 X

OTHER PUBLICATIONS

Petersen's Hunting, Jun. 1985, p. 39.
 Cabela's 1985 Fall Catalog, p. 84.
 Bass Pro Shops Catalog of Spring 1985, p. 312.
 Dunn's Catalog, p. 60.

Primary Examiner—A. Hugo Word
 Attorney, Agent, or Firm—Merchant, Gould, Smith, Edell, Welter & Schmidt

[57] CLAIM

The ornamental design for a shotgun sling, as shown and described.

DESCRIPTION

FIG. 1 is an elevational view generally viewed as from below a shotgun sling showing my new design;
 FIG. 2 is an elevational view generally viewed as from the right of my design disclosed in FIG. 1;
 FIG. 3 is an elevational view generally viewed as from the left of my design disclosed in FIG. 1;
 FIG. 4 is an elevational view generally viewed as from above my design disclosed in FIG. 1;
 FIG. 5 is a plan view generally viewed as from the rear of my design disclosed in FIG. 1;
 FIG. 6 is a plan view generally viewed as from the front of my design disclosed in FIG. 1;
 FIG. 7 is a perspective view generally viewed as from below and to the left of my design disclosed in FIG. 1, with a shotgun illustrated in phantom.
 FIG. 8 is an elevational view generally viewed as from below a shotgun sling showing a second embodiment of my new design;
 FIG. 9 is an elevational view generally viewed as from the right of my design disclosed in FIG. 1';
 FIG. 10 is an elevational view generally viewed as from the left of my design disclosed in FIG. 1';
 FIG. 11 is an elevational view generally viewed as from above my design disclosed in FIG. 1';
 FIG. 12 is a plan view generally viewed as from the rear of my design disclosed in FIG. 1';
 FIG. 13 is a plan view generally viewed as from the front of my design disclosed in FIG. 1';
 FIG. 14 is a perspective view generally viewed as from below and to the left of my design disclosed in FIG. 1', with a shotgun illustrated in phantom.
 The broken line showing of the shotgun is for illustrative purposes only and forms no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5





FIG. 6






FIG. 7








FIG. 12





FIG. 13

FIG.14



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 297,660
DATED : September 13, 1988
INVENTOR(S) : Ramon D. Clatanoff

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 1, line 21, please delete "1'" and substitute --8--.
In column 1, line 23, please delete "1'" and substitute --8--.
In column 1, line 25, please delete "1'" and substitute --8--.
In column 1, line 27, please delete "1'" and substitute --8--.
In column 1, line 29, please delete "1'" and substitute --8--.
In column 1, line 31, please delete "1'" and substitute --8--.

**Signed and Sealed this
Seventh Day of March, 1989**

Attest:

DONALD J. QUIGG

Attesting Officer

Commissioner of Patents and Trademarks