

[54] SCORE COLLECTOR FOR BASE-BALL GAME

[75] Inventors: Kenji Tamada; Tadashi Yanagi, both of Tokyo, Japan

[73] Assignee: Silver Seiko Limited, Japan

[**] Term: 14 Years

[21] Appl. No.: 734,466

[22] Filed: May 15, 1985

[30] Foreign Application Priority Data

Nov. 15, 1984 [JP]	Japan	59-46999
[52] U.S. Cl.	D10/46.1; D18/7	
[58] Field of Search	D10/46.1; D18/7; D19/60; 364/706-710	

[56] References Cited

U.S. PATENT DOCUMENTS

D. 256,695	9/1980	Yamagami	D18/7
D. 284,771	7/1986	Tamada et al.	D18/7
D. 289,416	4/1987	Yoshioka et al.	D18/7

Primary Examiner—Melvin B. Feifer
Attorney, Agent, or Firm—McGlew and Tuttle

[57] CLAIM

The ornamental design for score collector for base-ball game, substantially as shown and described.

DESCRIPTION

FIG. 1 is a rear side elevation of score collector for base-ball game showing our new design;
FIG. 2 is a top plan view of the same;
FIG. 3 is a bottom plan view of the same;
FIG. 4 is a front side elevation of the same;
FIG. 5 is a left side elevation of the same;
FIG. 6 is a right side elevation of the same; and
FIG. 7 is a perspective view of the same.




FIG. 1




FIG. 4



FIG. 5




FIG. 6




FIG. 2




FIG. 3




FIG. 7

