

[54] **BLADE FOR A MACHINE FOR ADJUSTING THE POSITION OF RAILWAY TRACKS**

[75] Inventor: **Arne Johansson, Karlskoga, Sweden**

[73] Assignee: **AB Bofors Wear Parts, Karlskoga, Sweden**

[\*] Notice: The portion of the term of this patent subsequent to Apr. 2, 2000 has been disclaimed.

[\*\*] Term: **14 Years**

[21] Appl. No.: **706,426**

[22] Filed: **Feb. 27, 1985**

[30] **Foreign Application Priority Data**

Aug. 28, 1984 [SE] Sweden ..... 842287  
[52] U.S. Cl. .... **D15/28**  
[58] Field of Search ..... D15/28, 138, 140-141;  
104/10, 11, 12, 13, 14

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 283,328	4/1986	Johansson et al. ....	D15/28
973,563	10/1910	Prentice .....	104/13
1,371,681	3/1921	Hunter .....	104/13
1,871,185	8/1932	Kushnier .....	104/10
3,677,187	7/1972	Stewart .....	104/10
3,971,323	7/1976	Beiswenger .....	104/10
4,074,631	2/1978	Theurer .....	104/12


*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Ruth Takemoto  
*Attorney, Agent, or Firm*—Pollock, Vande Sande & Priddy

[57] **CLAIM**

The ornamental design for a blade for a machine for adjusting the position of railway tracks, as shown.

**DESCRIPTION**

FIG. 1 is a top, front and side perspective view of a blade for a machine for adjusting the position of railway tracks showing my new design; FIG. 2 is a top, rear and side perspective view thereof; FIG. 3 is a bottom, rear and side perspective view thereof; and FIG. 4 is a top plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4