

[54] CURVED HOLDER FOR A SCOURING IMPLEMENT

3,105,989 10/1963 Bell et al. 15/209 D
4,085,475 4/1978 Silver 15/209 D

[76] Inventor: Louis J. Silver, 3434 Baker St., San Francisco, Calif. 94123

FOREIGN PATENT DOCUMENTS

297342 6/1954 Switzerland 15/209 D

[**] Term: 14 Years

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Owen, Wickersham & Erickson

[21] Appl. No.: 842,863

[22] Filed: Mar. 12, 1986

[52] U.S. Cl. D32/52

[58] Field of Search 15/209 R, 209 D, 209 B, 15/209 C, 210 R; D32/35, 40, 51, 52

[57] CLAIM

The ornamental design for a curved holder for a scouring implement, as shown and described.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 242,893	1/1977	Silver	D32/51
D. 247,017	1/1978	Silver	D32/51
D. 247,342	2/1978	Silver	D32/51
1,653,652	12/1927	Melniker	15/209 D
1,653,702	12/1927	Gundersen	15/209 D
1,678,962	7/1928	Stark et al.	15/209 D
1,890,812	12/1932	Hartwell	15/209 D
2,910,714	11/1959	Becker	D32/52
3,060,478	10/1962	Silver	15/209 D

DESCRIPTION

FIG. 1 is a perspective view of a curved holder for a scouring implement, showing my new design.

FIG. 2 is a top plan view thereof.


FIG. 3 is a view in end elevation thereof.

FIG. 4 is a sectional view taken along the line 4—4 in FIG. 2.

FIG. 5 is a view in side elevation thereof.

FIG. 6 is a bottom plan view thereof.

The broken line disclosure of a pad in FIGS. 1 and 4 is for illustrative purposes only and forms no part of the claimed design.






FIG. 3





FIG. 2

FIG. 4




FIG. 5





FIG. 6