

- [54] **SAFETY HOOK**
- [75] **Inventor: Rolf Bergstrom, Ramnas, Sweden**
- [73] **Assignee: Gunnebo AB, Sweden**
- [**] **Term: 14 Years**
- [21] **Appl. No.: 769,883**
- [22] **Filed: Aug. 27, 1985**
- [30] **Foreign Application Priority Data**
Jun. 3, 1985 [GB] United Kingdom 1,027,125
- [52] **U.S. Cl. D34/35; D8/382**
- [58] **Field of Search D34/35; D8/367, 369,
D8/382; 294/82.19, 82.13, 104; 24/242;
248/339, 340, 341**
- [56] **References Cited**
U.S. PATENT DOCUMENTS
1,010,952 12/1911 Purves 294/82.19

| | | | |
|-----------|---------|---------------|-----------|
| 1,725,609 | 8/1929 | Amos | 294/82.19 |
| 2,928,692 | 3/1960 | Gowan | D34/35 |
| 4,017,111 | 4/1977 | Sandnes | 294/82.19 |
| 4,206,940 | 6/1980 | Altabe | D8/367 |
| 4,554,712 | 11/1985 | Le Beon | 294/82.19 |


Primary Examiner—Wallace R. Burke
Assistant Examiner—Kay H. Chin
Attorney, Agent, or Firm—James Creighton Wray

[57] **CLAIM**

The ornamental design for a safety hook, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a safety hook showing my new design;
FIG. 2 is an another side perspective view thereof, showing the locking bar in closed condition;
FIG. 3 is an opposite side perspective view of FIG. 2; and
FIG. 4 is an opposite side prospective view of FIG. 1.






FIG. 1




FIG. 2




FIG. 3




FIG. 4