

[54] BATTERY CHARGER FOR AN ELECTRIC HAIR CURLER

[75] Inventor: Yoshio Mizobata, Kadoma, Japan

[73] Assignee: Matsushita Electric Works, Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 802,243

[22] Filed: Nov. 27, 1985

[30] Foreign Application Priority Data

Jun. 14, 1985 [JP] Japan 60-25215
 [52] U.S. Cl. D13/6
 [58] Field of Search D13/5-6,
 D13/8, 32, 99; 219/222, 225-226; 320/2.5, 59;
 307/150; D8/35, 38; D4/101

[56] References Cited

U.S. PATENT DOCUMENTS

D. 231,990 7/1974 Peasley D13/2
 D. 267,670 1/1983 Radatz D28/35
 D. 281,020 10/1985 Rittenhouse D28/35
 3,859,497 1/1975 McNair 219/225
 4,086,523 4/1978 Izumi 320/2
 4,641,010 2/1987 Abura et al. 219/222

FOREIGN PATENT DOCUMENTS

491952 10/1978 Japan .
 539064 6/1980 Japan .

Primary Examiner—Wallace R. Burke
 Assistant Examiner—Ruth Takemoto
 Attorney, Agent, or Firm—Stevens, Davis, Miller & Mosher

[57] CLAIM

The ornamental design for a battery charger for an electric hair curler, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a battery charger for an electric hair curler showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a cross sectional view thereof taken along line 7-7 in FIG. 1;
 FIG. 8 is a perspective view thereof, with the plug shown in an alternate position; and
 FIG. 9 is a perspective view thereof, the switch plate is shown in broken lines for illustrative purposes only and forms no part of the claimed design.





Fig 1

7



7

Fig 2




Fig 3




Fig 4




Fig 5




Fig 6




Fig 7




Fig 8




Fig 9

