

[54] **PORTABLE HANDSET RADIO TELEPHONE**

[75] **Inventor: Katsuhito Watanabe, Tokyo, Japan**

[73] **Assignee: Oki Electric Industry Co., Ltd., Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 66,739**

[22] **Filed: Jun. 25, 1987**

[30] **Foreign Application Priority Data**

Dec. 27, 1986 [JP] Japan 61-51197

[52] **U.S. Cl. D14/64; D14/53; D14/68**

[58] **Field of Search D14/53, 57, 63, 62, D14/64, 92, 66, 68; 379/419.61, 428, 433, 434, 436, 440, 444; D21/111; 455/89, 90; D18/12**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 254,195	2/1980	Genaro et al.	D18/12
D. 256,691	9/1980	Camenzind	D14/57
D. 260,992	9/1981	Feinberge et al.	D14/53
D. 264,465	5/1982	Mackenzie	D14/53
D. 272,344	1/1984	Mackenzie	D14/63
D. 274,243	6/1984	Asaki et al.	D14/64 X
D. 279,001	5/1985	Nagasawa	D14/68 X
D. 281,517	11/1985	Kolich	D21/11
D. 282,467	2/1986	Felix et al.	D14/63 X
D. 284,663	7/1986	Edwards	D14/53
D. 285,200	8/1986	Bressler et al.	D14/53
D. 287,493	12/1986	Young	D14/53
D. 287,971	1/1987	Bond	D14/64 X
D. 289,042	3/1987	Bond	D14/57 X
D. 289,044	3/1987	Watanabe	D14/68 X
D. 289,045	3/1987	Brown	D14/66
D. 291,437	8/1987	Lee	D14/53
D. 291,804	9/1987	George	D14/68 X
D. 292,513	10/1987	Gilberton	D14/64 X
4,251,696	2/1981	Mackenzie et al.	D14/53 U X
4,268,721	5/1981	Nielsen et al.	379/444
4,481,382	11/1984	Villa-Red	D14/64 U X
4,648,125	3/1987	Brown	455/89
4,661,659	4/1987	Nishimura	379/61
4,672,685	6/1987	Phillips et al.	455/90

4,694,485 9/1987 Iwase 379/62

FOREIGN PATENT DOCUMENTS

0135759 8/1984 Japan 379/428
2159372 11/1985 Japan 379/61

OTHER PUBLICATIONS

New York Times, 2/24/88; Potamkin Ad; Cellular Phone as agent for Nynex.

New York Times, 10/30/84; Motorola Ad; 8000X Portable Cellular Phone.

Primary Examiner—Horace B. Fay

Attorney, Agent, or Firm—Wenderoth, Lind & Ponack

[57] **CLAIM**

The ornamental design for a portable handset radio telephone, substantially as shown.

DESCRIPTION

FIGS. 1 and 2 are respectively front and rear elevational views of a portable handset radio telephone showing my new design in opened position;

FIG. 3 is a right side elevational view thereof, the side opposite being a mirror image;

FIGS. 4 and 5 are respectively top and bottom plan views thereof;

FIG. 6 is a cross-sectional view taken on line VI in FIG. 1 with interior construction omitted;

FIG. 7 is a front, top and right side perspective view thereof in opened position;

FIG. 8 is a front and right side perspective view thereof with the ear piece receiver shown halfway between opened position in FIG. 7 and closed position in FIG. 9;

FIG. 9 is a front, top and right side perspective view thereof in closed position; and,

FIG. 10 is a front, top and right side perspective view in opened position of a second embodiment thereof corresponding to FIG. 7, with the differences in this embodiment, vis-a-vis the first, being display of the antenna in extended position, and with the display panel and sundry pushbuttons bearing typical operative indicia.

The broken line showing of numbers in the display panel in FIG. 10 is for illustrative purposes only and forms no part of the claimed design.





Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 6




Fig. 5




Fig. 7




Fig. 8




Fig. 9




Fig. 10

