

[54] **PRINTER FOR ELECTRONIC COMPUTER**

[76] Inventors: Masaru Yamaguchi, Kamitsuchidana 1959, Ayase-shi, Kanagawa-ken; Akira Shimizu, 15-31, Nishi-hirayama 1-chome, Hino-shi, Tokyo, both of Japan

[**] Term: 14 Years

[21] Appl. No.: 818,268

[22] Filed: Jan. 13, 1986

[30] **Foreign Application Priority Data**

Jul. 13, 1985 [JP] Japan 60-29961
 [52] U.S. Cl. D14/111; D18/13
 [58] Field of Search D14/100, 106, 107, 111, D14/114; D18/13, 18, 22; 364/708; 400/689, 690, 690.1, 690.4, 691, 693

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 285,565 9/1986 Hara et al. D14/111
 D. 287,730 1/1987 Kajima et al. D14/111
 D. 290,611 6/1987 Serikawa et al. D14/111

OTHER PUBLICATIONS

Delphax-Promotional Literature (undated) relating to S3000 Ion Printer.

Citoh Promotional Literature (undated) relating to CIE 3000 Ion Deposition printers.

Primary Examiner—Susan J. Lucas

[57] **CLAIM**

The ornamental design for a printer for electronic computer, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a printer for electronic computer showing our new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a rear elevational view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a front, top, and right side perspective view of a second embodiment of our new design;
 FIG. 9 is a front elevational view thereof;
 FIG. 10 is a top plan view thereof;
 FIG. 11 is a left side elevational view thereof;
 FIG. 12 is a right side elevational view thereof;
 FIG. 13 is a rear elevational view thereof;
 FIG. 14 is a bottom plan view thereof;
 FIG. 15 is a front, top, and right side perspective view of a third embodiment of our new design;
 FIG. 16 is a front elevational view thereof;
 FIG. 17 is a top plan view thereof;
 FIG. 18 is a left side elevational view thereof;
 FIG. 19 is a right side elevational view thereof;
 FIG. 20 is a rear elevational view thereof; and
 FIG. 21 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20





FIG. 21



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 298,249

DATED : October 25, 1988

INVENTOR(S) : Yamaguchi et al

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please insert the name of the Assignee on the face of the patent as follows:

--Olympus Optical Co., Ltd., Tokyo, Japan--.

Signed and Sealed this
Twenty-first Day of November, 1989

Attest:

JEFFREY M. SAMUELS

Attesting Officer

Acting Commissioner of Patents and Trademarks