

# United States Patent [19]

Spivey

[11] Patent Number: **Des. 298,477**

[45] Date of Patent: **\*\* Nov. 8, 1988**

[54] **COMBINED SADDLE AND SADDLE BAGS**

[76] Inventor: **Jefferson Spivey, P.O. Box 60584,  
Oklahoma City, Okla. 73146**

[\*\*] Term: **14 Years**

[21] Appl. No.: **742,199**

[22] Filed: **Jun. 7, 1985**

[52] U.S. Cl. .... **D30/135**

[58] Field of Search ..... **D30/19, 20; 54/44, 46**

[56] **References Cited**

### U.S. PATENT DOCUMENTS

28,867	6/1860	Jerifer .....	54/46
D. 34,766	7/1901	Croom .....	D30/20
232,712	9/1880	Hastings .....	54/46
D. 250,549	12/1978	Stoddard .....	D30/20
D. 251,623	4/1979	Abercrombie, Jr. ....	D30/20
571,684	11/1896	Percifield .....	54/46

662,564	11/1900	Hicks .....	54/44
969,995	9/1910	Stone .....	54/46
1,503,715	8/1924	Schnitger .....	54/46 X
3,044,234	7/1962	Baldwin .....	54/44
3,130,530	4/1964	Foreman .....	54/46

*Primary Examiner*—James R. Largen  
*Attorney, Agent, or Firm*—Dunlap, Codding & Peterson

[57] **CLAIM**

The ornamental design for a combined saddle and saddle bags, as shown.

### DESCRIPTION

FIG. 1 is a right side elevational view of a combined saddle and saddle bags showing my new design.



FIG. 2 is a front elevational view thereof.

FIG. 3 is a top plan view thereof.

FIG. 4 is a rear elevational view thereof.

FIG. 5 is a left side elevational view thereof.

FIG. 6 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6