

[54] **INCONTINENCE GUARD FOR MALES**

[75] **Inventor:** Bo A. Runeman, Gothenburg, Sweden  
[73] **Assignee:** Molnlycke Aktiebolag, Gothenburg, Sweden  
[\*\*] **Term:** 14 Years  
[21] **Appl. No.:** 758,978  
[22] **Filed:** Jul. 25, 1985

[30] **Foreign Application Priority Data**  
Feb. 4, 1985 [SE] Sweden ..... 85-0261  
[52] **U.S. Cl.** ..... D24/50; D24/51  
[58] **Field of Search** ..... D24/49, 50, 51;  
604/358, 385.1, 394, 378

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 263,169 2/1982 Larko ..... D24/51  
D. 269,907 7/1983 Tong ..... D24/50  
D. 271,800 12/1983 Brendling ..... D24/51  
D. 287,282 12/1986 Ternström ..... D24/50  
4,315,508 2/1982 Bolick ..... 604/385.1  
4,509,512 4/1985 LeClercq ..... 128/160


*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Stella M. Reid  
*Attorney, Agent, or Firm*—Young & Thompson

[57] **CLAIM**

The ornamental design for an incontinence guard for males, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an incontinence guard for males, showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a front perspective view thereof;  
FIG. 4 is a side elevational view thereof from the left of FIG. 1;  
FIG. 5 is a front perspective view thereof in folded condition;  
FIG. 6 is a rear perspective view thereof in folded condition;  
FIG. 7 is a side elevational view thereof, from the left of FIG. 3, in folded condition;  
FIG. 8 is a side elevational view thereof, from the right of FIG. 3, in folded condition;  
FIG. 9 is a top plan view thereof in folded condition; and  
FIG. 10 is a bottom plan view thereof in folded condition.






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10