

- [54] INPUT/OUTPUT DEVICE FOR ELECTRONIC MEMO
- [75] Inventors: Takahisa Yubisui; Hiroshi Sakaguchi; Tadahiko Saimen, all of Osaka, Japan
- [73] Assignee: Sharp Corporation, Osaka, Japan
- [**] Term: 14 Years
- [21] Appl. No.: 844,755
- [22] Filed: Mar. 14, 1986
- [30] Foreign Application Priority Data

Sep. 25, 1985 [JP] Japan 60-40397

[52] U.S. Cl. D14/100; D18/7

[58] Field of Search D14/100, 101, 105, 106, D14/107, 114, 115; D18/7; 340/365 R, 700, 711; 364/900, 708, 709

- [56] References Cited
- U.S. PATENT DOCUMENTS
- D. 228,137 8/1973 Chadima, Jr. D14/100
- D. 258,956 4/1981 Chadima, Jr. D14/100
- D. 276,242 11/1984 Sakamoto D18/7
- D. 285,806 9/1986 Satake D18/7
- 4,187,912 2/1980 Washizuka et al. 364/708 X

OTHER PUBLICATIONS

Retailing Home Furnishings, 5-28-79, p. 80, Toshiba Note Pad Calculator.
 Popular Science, 7-1979, p. 22, Radio Shack Calculator.
 Popular Science-7-1979, p. 22, Row B, right end, calculator.


Primary Examiner—Susan J. Lucas
 Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for an input, output device for electronic memo, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the input/output device for electronic memo showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a right side elevational view thereof; and
 FIG. 7 is a left side elevational view thereof.






FIG_1




FIG_2




FIG_3




FIG_4



FIG_5



FIG_6



FIG_7