

[54] CABLE TENSIOMETER

[76] Inventor: Lars H. Hansson, Fredstigen 7,
Huddinge, Stockholm 14143,
Sweden

[**] Term: 14 Years

[21] Appl. No.: 791,930

[22] Filed: Oct. 28, 1985

[52] U.S. Cl. D8/44; D8/356

[58] Field of Search D8/44, 356; 24/132 R,
24/71.1, 71 J, 68 D; 256/37; 114/109

[56] References Cited

U.S. PATENT DOCUMENTS

D. 21,592	5/1892	Westmeyer	D8/44
D. 265,171	6/1982	Zukaitis	D8/356 X
947,739	1/1910	Newland	24/71.1
1,399,589	12/1921	Trumble	D8/44 X
2,589,543	3/1952	Elnicky	24/71.1
2,634,093	4/1952	Hays	24/71.1 X
3,742,558	7/1973	Lewis, Jr.	24/68 D

3,791,612	2/1974	Gustavson	24/132 R X
3,874,638	4/1975	Langlie et al.	254/51 X
3,990,682	11/1976	Bersaw	D8/44 X
4,424,611	1/1984	Mori	24/71 J X

FOREIGN PATENT DOCUMENTS

139731 12/1934 Austria 24/71.1



Primary Examiner—Horace B. Fay, Jr.
Attorney, Agent, or Firm—Thomas E. Schatzel

[57] CLAIM

The ornamental design for a cable tensiometer, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a cable tensiometer showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIGS. 5 and 6 are respectively top and bottom plan views thereof; and
FIG. 7 is a perspective view thereof.






Fig. 1




Fig. 2




Fig. 3

Fig. 4




Fig. 5



Fig. 6




Fig. 7