

[54] ELECTRONIC SPHYGMOMANOMETER

[75] Inventors: Takahisa Yubisui; Hiroshi Sakaguchi; Toshiya Takahashi, all of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 933,609

[22] Filed: Nov. 21, 1986

[30] Foreign Application Priority Data

May 23, 1986 [JP] Japan 61-19742

[52] U.S. Cl. D24/21; D24/17

[58] Field of Search D24/21, 17, 8; 128/672, 128/675, 677-683, 900; D10/52, 60, 75, 85; D14/106; D18/11

[56] References Cited

U.S. PATENT DOCUMENTS

D. 277,133	1/1985	Houlihan	D24/17
D. 283,915	5/1986	Kosako et al.	D24/21
D. 284,029	5/1986	Nishibori et al.	D24/21
D. 285,965	9/1986	Nishibori et al.	D24/21
D. 286,437	10/1986	Nishibori	D24/21



Primary Examiner—Wallace R. Burke
Assistant Examiner—Stella M. Reid
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for an electronic sphygmomanometer, as shown and described.


DESCRIPTION

FIG. 1 is a top plan view of an electronic sphygmomanometer showing our new design;
FIG. 2 is a bottom plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof; and
FIG. 6 is a left side elevational view thereof.







FIG_1




FIG_3




FIG_5



FIG_2



FIG_4



FIG_6