

[54] BRACE FOR HOLDING GAS PUMP NOZZLE IN OPEN POSITION

[76] Inventor: Joseph F. Downey, 7829 Ellenbogen St., Sunland, Calif. 91040

[**] Term: 14 Years

[21] Appl. No.: 936,026

[22] Filed: Nov. 28, 1986

[52] U.S. Cl. D8/354; 74/526

[58] Field of Search D8/349, 359; 74/526; D6/552; D48/339, 359 G; D15/9.1

[56] References Cited

U.S. PATENT DOCUMENTS

D. 254,050	1/1980	Fitzgerald	D8/349
D. 255,321	6/1980	Stelman	D8/354
D. 258,114	2/1981	Maynor	D8/354
D. 266,905	11/1982	Wallis	D8/349
D. 282,048	1/1986	Scanlon	D8/354
4,210,181	7/1980	Clevenger	D8/354 X
4,275,776	6/1981	Rehkopf	74/526 X

4,278,116	7/1981	Opp	74/526 X
4,337,917	7/1982	Tesack et al.	D8/354 X
4,683,923	8/1987	Harris	74/526
4,690,182	9/1987	Knaus	74/526 X


Primary Examiner—Horace B. Fay
Attorney, Agent, or Firm—Roger A. Marrs

[57] CLAIM

The ornamental design for brace for holding gas pump nozzle in open position, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a brace for holding gas pump nozzle in open position showing my new design, with perspective view taken 180° from FIG. 1 being a mirror image thereof; FIG. 2 is a right side elevational view thereof; FIG. 3 is a front, top and right side perspective view of a second embodiment thereof, with the perspective view taken 180° from FIG. 3 being a mirror image thereof; and FIG. 4 is a right side elevational view thereof.






FIG. 1.




FIG. 2.




FIG. 3.



FIG. 4.