

United States Patent [19]
Ellermeier

[11] **Patent Number: Des. 299,128**

[45] **Date of Patent: ** Dec. 27, 1988**

[54] **MICROPHONE**

[75] **Inventor: Konrad Ellermeier, Gaaden, Austria**

[73] **Assignee: U.S. Philips Corporation, New York, N.Y.**

[**] **Term: 14 Years**

[21] **Appl. No.: 897,698**

[22] **Filed: Aug. 18, 1986**

[30] **Foreign Application Priority Data**

Feb. 26, 1986 [XH] Hague 60894-07

[52] **U.S. Cl. D14/12; D14/3**

[58] **Field of Search D14/12, 13, 30, 36,
D14/99, 3; 381/91, 122, 155, 158, 168, 169**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 175,664 9/1955 Aucoin D14/12

D. 185,964 8/1959 Barsumian D14/12

D. 197,610 3/1964 Miller D14/12

D. 263,044 2/1982 Schulze-Bahr D14/3

D. 278,146 3/1985 Young D14/12

D. 278,333 4/1985 Takata D14/12

3,118,980 1/1964 Hamson 381/169

Primary Examiner—Bernard Ansher

Assistant Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Robert T. Mayer

[57] **CLAIM**

The ornamental design for a microphone, as shown.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a microphone showing my new design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof; and

FIG. 7 is a right side elevational view thereof.






FIG. 1

FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 6




FIG. 7