

[54] PAIR OF STEP BAR ELEMENTS FOR AN INCLINED WALKING BEAM-TYPE BAR SCREEN EMPLOYED IN WASTEWATER FILTRATION

[75] Inventor: Carl O. Wallander, Västra Frölunda, Sweden

[73] Assignee: Hydropress Wallander & Co. AB, Goteborg, Sweden

[**] Term: 14 Years

[21] Appl. No.: 805,925

[22] Filed: Nov. 19, 1985

[30] Foreign Application Priority Data

May 24, 1985 [SE] Sweden 85-1355

[52] U.S. Cl. D23/207

[58] Field of Search D23/200, 207-210; 210/153-154, 158-159; 198/776

[56] References Cited

U.S. PATENT DOCUMENTS

546,415	9/1895	Compton	198/776
1,698,387	1/1929	Broome	210/154
1,773,576	8/1930	Downes	210/154
2,963,156	12/1960	Nordell	210/159 X
3,093,580	6/1963	Siewert	210/159

4,289,619	9/1981	Sampson	210/159
4,447,323	5/1984	Jackson	210/159 X

Primary Examiner—Wallace R. Burke
Assistant Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] CLAIM

The ornamental design for a pair of step bar elements for an inclined walking beam-type bar screen employed in wastewater filtration, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a pair of step bar elements for an inclined walking beam-type bar screen employed in wastewater filtration showing my new design;


FIG. 2 is a front elevational view thereof, the rear being generally similar in appearance;

FIG. 3 is a top, front and left side perspective view of one element thereof, the side opposite being a mirror image;

FIG. 4 is a front elevational view of the element of FIG. 3;

FIG. 5 is a top, front and left side elevational view of the adjacent element thereof, the side opposite being a mirror image; and

FIG. 6 is a front elevational view of the element of FIG. 5.






FIG. 1



FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6