

[54] BATTERY CONTAINER WITH SIDE RECESSES

[75] Inventor: Walter A. Grannen, III, Bargersville, Ind.

[73] Assignee: E. W. Mold & Tool Company, Inc., Indianapolis, Ind.

[**] Term: 14 Years

[21] Appl. No.: 905,036

[22] Filed: Sep. 8, 1986

[52] U.S. Cl. D13/8; D13/9

[58] Field of Search D13/4, 5, 8-10; 429/82, 89, 99, 100, 123, 151, 153, 159, 163, 175-178, 180, 187; 136/252, 259

[56] References Cited

U.S. PATENT DOCUMENTS

897,472	9/1908	Marx	429/176
915,328	3/1909	Bentley	429/175
3,816,181	6/1974	Buckethal	429/176
4,166,155	8/1979	Mao et al.	429/82
4,444,853	4/1984	Halsall et al.	429/177

FOREIGN PATENT DOCUMENTS

4410	10/1926	Australia	429/176
427428	12/1974	U.S.S.R.	429/99

OTHER PUBLICATIONS

Popular Science Jan. 1976, p. 3 Delco's "Freedom Battery".
Sears Catalog (no date-pre 9-8-86) pp. 623-628, 149-150 and 33, 34.


Primary Examiner—Susan J. Lucas
Assistant Examiner—Clare E. Heflin
Attorney, Agent, or Firm—Woodard, Emhardt, Naughton Moriarty & McNett

[57] CLAIM

The ornamental design for a battery container with side recesses, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the battery with side recesses showing a first embodiment of my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof, the left side being a mirror image; FIG. 4 is a rear elevational view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is an enlarged, fragmentary cross-sectional view thereof taken along the line 7—7 in FIG. 2; FIG. 8 is a perspective view of the battery with side recesses showing a second embodiment of my new design; FIG. 9 is a front elevational view thereof; FIG. 10 is a right side elevational view thereof, the left side being a mirror image; FIG. 11 is a rear elevational view thereof; FIG. 12 is a bottom plan view thereof; FIG. 13 is a top plan view thereof; FIG. 14 is an enlarged, fragmentary cross-sectional view thereof taken along the line 14—14 in FIG. 9; FIG. 15 is a perspective view of the battery container with side recesses showing a third embodiment of my new design; FIG. 16 is a front elevational view thereof, the rear view being a mirror image; FIG. 17 is a right side elevational view thereof the left side being a mirror image; FIG. 18 is a bottom plan view thereof; FIG. 19 is a top plan view thereof; FIG. 20 is an enlarged, fragmentary cross-sectional view thereof taken along the line 20—20 in FIG. 16; FIG. 21 is a perspective view of the battery container with side recesses showing a fourth embodiment of my new design; FIG. 22 is a front elevational view thereof; FIG. 23 is a right side elevational view thereof, the left side being a mirror image; FIG. 24 is a rear elevational view thereof; FIG. 25 is a bottom plan view thereof; FIG. 26 is a top plan view thereof; FIG. 27 is an enlarged, fragmentary cross-sectional view thereof taken along the line 27—27 in FIG. 22.






Fig.1




Fig. 6




Fig. 2




Fig. 3




Fig. 5




Fig.7




Fig.4




Fig.8




Fig.13




Fig.9




Fig.10




Fig.12




Fig. 14




Fig. 11




Fig.15




Fig. 19




Fig. 16




Fig. 17




Fig. 18




Fig.20




Fig. 21





Fig. 26



27 ←
Fig. 22




Fig. 23




Fig. 25




Fig. 27




Fig. 24