

[54] ALTERNATING CURRENT SENSING DEVICE

[76] Inventor: John A. Chiang, 113 Belvedere Ct., Walnut Creet, Calif. 94598

[**] Term: 14 Years

[21] Appl. No.: 889,480

[22] Filed: Jul. 25, 1986

[52] U.S. Cl. D10/78; D10/103

[58] Field of Search D10/75, 76, 77, 78, D10/80, 102, 103; 324/117, 127, 156, 149, 158

P

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 214,755 7/1965 McPhee D10/80 X
- D. 222,138 10/1971 Palmer D10/80
- D. 243,717 3/1977 Edmark D10/103 X
- D. 266,270 9/1982 Sugawara D10/103 X
- D. 287,473 12/1986 Ueno D10/103 X

- 2,476,115 7/1949 Runbaken D10/78 X
- 2,536,577 1/1951 Simmons D10/78 X
- 2,809,347 10/1957 Bueter 324/502
- 2,901,692 8/1959 Polhemus 324/502 X
- 3,822,598 7/1974 Brothers D10/103 X

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—John J. Leavitt

[57] CLAIM

The ornamental design for an alternating current sensing device, as shown and described.

DESCRIPTION

FIG. 1 is a front and bottom perspective view of an alternating current sensing device showing my new design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a right side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a left side elevational view thereof.






FIG. 1




FIG. 2




FIG. 5




FIG. 3




FIG. 4




FIG. 6




FIG. 7