

- [54] **BARRICADE WARNING LIGHT TESTING DEVICE**
- [76] **Inventor: Thomas W. Barker, 79 Pecan Valley Cir., San Antonio, Tex. 78223**
- [**] **Term: 14 Years**
- [21] **Appl. No.: 858,229**
- [22] **Filed: Apr. 28, 1986**
- [52] **U.S. Cl. D10/77; D10/46; D10/78**
- [58] **Field of Search D10/46, 47, 75-78, D10/80, 102, 103; 356/218, 222**

- [56] **References Cited**
U.S. PATENT DOCUMENTS
D. 173,999 2/1955 Reynolds D10/78

- D. 246,767 12/1977 Needham D10/78
D. 282,246 1/1986 Thomas D10/78 X
D. 289,582 5/1987 Brush D3/30.1 X
2,229,009 1/1941 Berry D10/77 X


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—John C. Stahl

[57] **CLAIM**

The ornamental design for a barricade warning light testing device, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a barricade warning light testing device, showing my new design.
FIG. 2 is a left side elevational view thereof.
FIG. 3 is a right side elevational view thereof.
FIG. 4 is a rear elevational view thereof.
FIG. 5 is a top plan view thereof; and
FIG. 6 is a bottom plan view thereof.






FIG. 3




FIG. 2




FIG. 1




FIG. 5




FIG. 6




FIG. 4