

[54] **INTERSPACED EROSION PREVENTION STRUCTURE**

[76] **Inventor: Lok M. Sharma, 9227-187 St., Edmonton, Canada, T5T 1R8**

[**] **Term: 14 Years**

[21] **Appl. No.: 755,883**

[22] **Filed: Jul. 17, 1985**

[30] **Foreign Application Priority Data**

Dec. 19, 1984 [CA] Canada 19-12-84-14

[52] **U.S. Cl. D25/117; D25/114**

[58] **Field of Search D25/113, 114, 138, 157, D25/118, 155, 115, 116, 117; 405/15, 16, 17, 29, 30, 33, 35, 20, 19, 258**

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,067,196	1/1978	Schraudenbach	405/16
4,227,829	10/1980	Landry, Jr.	405/20
4,375,928	3/1983	Crow et al.	405/20


Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—George H. Dunsmuir

[57] **CLAIM**

The ornamental design for an interspaced erosion prevention structure, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a interspaced erosion prevention structure, showing my new design;
FIG. 2 is a side elevation of the design according to FIG. 1;
FIG. 3 is a top plan view of my design; and
FIG. 4 is a bottom plan view of the design according to FIG. 3.






FIG. 1



FIG. 2




FIG. 3




FIG. 4