

[54] ELECTRONIC THERMOMETER

[75] Inventors: Hiroshi Sakaguchi; Yoko Ikuzawa, both of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 932,909

[22] Filed: Nov. 19, 1986

[30] Foreign Application Priority Data

May 20, 1986 [JP] Japan 61-19498

[52] U.S. Cl. D10/57; D10/60; D10/103

[58] Field of Search D10/57, 60, 75, 78, D10/102, 103; 374/165-170, 179, 185, 208-209

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 254,189 2/1980 Prosky D10/57
- D. 287,473 12/1986 Ueno D10/57
- D. 287,829 1/1987 Osako D10/57
- D. 292,680 11/1987 Chan D10/57
- D. 293,085 12/1987 Yokoyama D10/60

- 4,447,884 5/1984 Wada 374/170 X
- 4,556,837 12/1985 Kobayashi 374/163 X
- 4,565,456 1/1986 Iida 374/169
- 4,614,442 9/1986 Poncy 374/209 X


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for an electronic thermometer, as shown and described.


DESCRIPTION

FIG. 1 is a top plan view of an electronic thermometer showing our new design with the cap removed;
 FIG. 2 is a bottom plan view thereof;
 FIG. 3 is a front elevational view, the rear elevational view being a mirror image thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a top plan view thereof with the cap in place;
 FIG. 7 is a front elevational view of FIG. 6, the rear view being a mirror image thereof;
 FIG. 8 is a right side elevational view of FIG. 6;
 FIG. 9 is a left side elevational view of FIG. 6.






FIG_1



FIG_2




FIG_3




FIG_4




FIG_5



FIG_6



FIG_7



FIG_8



FIG_9