

[54] ELECTROPHOTOGRAPHIC COPIER

[75] Inventor: Tomohiko Hirata, Tokyo, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 824,179

[22] Filed: Jan. 30, 1986

[30] Foreign Application Priority Data

Aug. 2, 1985 [JP] Japan 60-33073

[52] U.S. Cl. D18/37

[58] Field of Search D16/27-32, D16/31; 355/3 R, 3 SH, 5-11, 14 R, 14 SH

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 226,346 11/1984 Masaki D16/31
- D. 264,345 5/1982 Masaki D16/31
- D. 278,246 4/1985 Masaki D16/31

- D. 285,512 4/1986 Umino D16/31
- D. 286,296 10/1986 Hara D16/31 X
- D. 287,022 12/1986 Kojima D16/31
- D. 295,529 5/1988 Masaki D16/31
- 4,490,033 12/1884 Sugiura 355/8

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for an electrophotographic copier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electrophotographic copier showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a front and top-right perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

