

# United States Patent [19]

Katada et al.

[11] Patent Number: **Des. 299,926**

[45] Date of Patent: **\*\* Feb. 21, 1989**

[54] **ELECTROPHOTOGRAPHIC COPIER**

[75] Inventors: **Yoshie Katada, Yokohama; Minoru Aoyama, Tokyo, both of Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **890,393**

[22] Filed: **Jul. 29, 1986**

[30] **Foreign Application Priority Data**

Jan. 30, 1986 [JP] Japan ..... 61-3148

[52] U.S. Cl. .... **D18/38**

[58] Field of Search ..... D16/27-32, 30;-  
355/3 R, 3 SH, 5-11, 14 R, 14 SH

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 236,157 7/1975 Sakamoto ..... D16/30  
D. 261,145 10/1981 Etoh ..... D16/30

D. 263,844 4/1982 Sakurai ..... D16/30  
D. 265,655 8/1982 Goto ..... D16/30  
D. 280,104 8/1985 Sutoh ..... D16/31  
D. 280,630 9/1985 Kadota ..... D16/30  
4,386,845 6/1983 Miyoshi ..... 355/3 SH X

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an electrophotographic copier, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an electrophotographic copier showing our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a front and top right perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

