

United States Patent [19]

Aoyama

[11] Patent Number: Des. 299,927

[45] Date of Patent: ** Feb. 21, 1989

[54] ELECTROPHOTOGRAPHIC COPIER

[75] Inventor: Minoru Aoyama, Tokyo, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 890,413

[22] Filed: Jul. 29, 1986

[30] Foreign Application Priority Data

Jan. 30, 1986 [JP] Japan 61-3154

[52] U.S. Cl. D18/37

[58] Field of Search D16/27-32, 30;-
355/3 R, 3 SH, 5-11, 14 R, 14 SH

[56] References Cited

U.S. PATENT DOCUMENTS

D. 270,164 8/1983 Sawada D16/31
D. 270,540 9/1983 Sakurai D16/31

D. 276,051 10/1984 Kosako D16/31
D. 276,347 11/1984 Matsuzaka D16/31
D. 292,592 11/1987 Kosako D16/31
D. 292,593 11/1987 Morozumi D16/31

Primary Examiner—Nelson C. Holtje

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a electrophotographic copier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electrophotographic copier showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a front top-right perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

