

United States Patent [19]

Nishio

[11] Patent Number: **Des. 300,138**

[45] Date of Patent: **** Mar. 7, 1989**

[54] **FACSIMILE**

[75] Inventor: **Tomonori Nishio, Tokyo, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **894,888**

[22] Filed: **Aug. 8, 1986**

[30] **Foreign Application Priority Data**

Feb. 12, 1986 [JP] Japan 61-4591

[52] U.S. Cl. **D14/118**

[58] Field of Search D14/94, 99, 52, 63;
D16/27, 30, 31, 32; 358/256, 286

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 267,947 2/1983 Helling et al. D14/94
D. 292,976 12/1987 Kando D14/94
D. 293,240 12/1987 Hashimoto D14/94
D. 293,574 1/1988 Kando et al. D14/94

D. 293,673 1/1988 Nishio D14/94
D. 296,894 7/1988 Chen D14/52 X

Primary Examiner—Bernard Ansher

Assistant Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a facsimile, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a facsimile showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top, front and right side perspective view thereof; and

FIG. 8 is a top, front and right perspective view thereof with the tray in an open position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

