

[54] HEAT RADIATION PLATE

[75] Inventors: Kiyoshi Sakuma, Fujieda; Yoshiaki Tanimura, Shizuoka; Hiroyuki Umemura, Shizuoka; Makoto Yamada, Shizuoka; Ikuo Tsukamoto, Shizuoka; Yu Seshimo, Amagasaki; Masao Fujii, Takarazuka, all of Japan

[73] Assignee: Mitsubishi Denki Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 777,297

[22] Filed: Sep. 18, 1985

[30] Foreign Application Priority Data

Mar. 28, 1985 [JP] Japan 60-12521
Mar. 28, 1985 [JP] Japan 60-12523
Mar. 28, 1985 [JP] Japan 60-12525

[52] U.S. Cl. D23/314

[58] Field of Search D23/386, 314, 323, 330; 165/164-167, 185, 148-158, 179, 181; D13/23

[56] References Cited

U.S. PATENT DOCUMENTS

D. 221,853 9/1971 Kimura D23/386
2,994,123 8/1961 Kritzer 165/151 X

FOREIGN PATENT DOCUMENTS

0056598 4/1980 Japan 165/151
0099691 6/1983 Japan 165/151

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Oblon, Fisher, Spivak,
McClelland & Maier

[57] CLAIM

The ornamental design for a heat radiation plate, as shown and described.

DESCRIPTION

FIG. 1 is an end elevational view of heat radiation plate, showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is an enlarged sectional view taken along line 6-6 of FIG. 2;
FIG. 7 is an enlarged sectional view taken along line 7-7 of FIG. 2;
FIG. 8 is an end elevational view of a second embodiment of a heat radiation plate;
FIG. 9 is a front elevational view thereof;
FIG. 10 is a rear elevational view thereof;
FIG. 11 is a right side elevational view thereof;
FIG. 12 is a left side elevational view thereof;
FIG. 13 is an enlarged sectional view taken along line 13-13 of FIG. 9;
FIG. 14 is an enlarged sectional view taken along line 14-14 of FIG. 9;
FIG. 15 is an end elevational view of a third embodiment of a heat radiation plate;
FIG. 16 is a front elevational view thereof;
FIG. 17 is a rear elevational view thereof;
FIG. 18 is a right side elevational view thereof;
FIG. 19 is a left side elevational view thereof;
FIG. 20 is an enlarged sectional view thereof; and
FIG. 21 is an enlarged sectional view taken along line 21-21 of FIG. 16.

The length of the design as seen in the front and rear views is arbitrary and can be longer than that shown with longer plates having repetitions of the illustrated design elements.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10



FIG. 14



FIG. 11



FIG. 12




FIG. 13



FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19




FIG. 20




FIG. 21