
United States Patent [19] Patent Number: Des. 300,298 [11]Mori Date of Patent: ** Mar. 21, 1989 [45] CLAMP [54] 2,827,719 3/1958 Nairn 24/67.3 7/1963 Shoberg D8/395 X 3,096,551 [76] Inventor: Gian L. Mori, 119, Strada del 7/1971 Hug 24/67.5 Cascinotto, Torino, Italy, 10156 Primary Examiner—Susan J. Lucas 14 Years Assistant Examiner—Clare E. Heflin Term: Attorney, Agent, or Firm—Browdy and Neimark Appl. No.: 741,827 [57] CLAIM [22] Filed: Jun. 6, 1985 The ornamental design for a clamp, as shown and de-[30] scribed. Foreign Application Priority Data Dec. 19, 1984 [IT] Italy 54196/84[U] **DESCRIPTION** [52] U.S. Cl. D8/72; D8/395; FIG. 1 is a top plan view of the clamp showing my new 24/67.5 design; FIG. 2 is a side elevational view thereof; 81/302, 427, 420; 294/8.5, 11; 72/409, 411; FIG. 3 is a same side elevational view thereof, showing 24/67.3, 67.5 the clamp in the open position with the paper sheets being shown in broken lines for illustrative purposes [56] References Cited only; U.S. PATENT DOCUMENTS FIG. 4 is an exploded view thereof with the compo-

D. 274,127

2,402,215



of disclosure only.

nents of the clamp being shown separated for purposes




Fig. 1




Fig.2






Fig.3





Mar. 21, 1989