

[54] ELECTROPHOTOGRAPHIC COPIER

[75] Inventor: Toshio Umino, Yokohama, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 897,413

[22] Filed: Aug. 18, 1986

[30] Foreign Application Priority Data

Feb. 24, 1986 [JP] Japan 61-6378
[52] U.S. Cl. D18/37
[58] Field of Search D16/27-32,
D16/35; 355/3 R, 3 SH, 5-11, 14 R, 14 SH

[56] References Cited

U.S. PATENT DOCUMENTS

D. 270,164 8/1983 Sawada D16/31
D. 270,540 9/1983 Sakurai D16/31
D. 276,051 10/1984 Kosako D16/31
D. 285,451 9/1986 Kosako D16/31
D. 289,165 4/1987 Oshima D16/31 X

D. 292,592 11/1987 Kosako D16/31
D. 292,593 11/1987 Morozumi D16/31
D. 294,709 3/1988 Serbinski D16/31
4,386,845 6/1983 Miyoshi 355/3 SH
4,616,269 10/1986 Mori 355/7 X

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for an electrophotographic copier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electrophotographic copier showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top and right-front perspective view thereof, the broken line paper cassettes and receiving tray are environmental only and form no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

