# United States Patent [19]

## Fein

## [11] Patent Number: Des. 300,566

### [45] Date of Patent: \*\* Apr. 4, 1989

[54]	WALL TRACK EXTRUSION			
[75]	Inventor:	Harvey C. Fein, New York, N.Y.		
[73]	Assignee:	DFB Sales, Inc., Long Island City, N.Y.		
[**]	Term:	14 Years		
[21]	Appl. No.:	884,133		
[52]	Field of Sea	Jul. 10, 1986  D25/124; D25/119  rch  716, 717; 49/413, 419, 475, 501, 504  DIG. 2		

### [56] References Cited

#### U.S. PATENT DOCUMENTS

0.5.11112141 20001,121415							
3,321,878	5/1967	Brown et al	D25/122	X			
3,751,868	8/1973	Mascioletti	D25/119	$\mathbf{X}$			
4,018,260	4/1977	Baslow.					
4,621,478	11/1986	Phllips et al	D25/122	$\mathbf{X}$			
FOREIGN PATENT DOCUMENTS							

2207954 3/1976 Fed. Rep. of Germany.

Primary Examiner—A. Hugo Word Attorney, Agent, or Firm—Blum Kaplan

[57]

**CLAIM** 

The ornamental design for a wall track extrusion, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a front, right side and bottom perspective view

of a wall track extrusion in open condition, showing my new design;

FIG. 2 is a rear elevational view thereof in closed condition;

FIG. 3 is a top plan view thereof, shown broken in the center to indicate the continuous nature thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front, right side and bottom perspective view of a wall track extrusion, in open condition, showing my new design, similar to FIG. 1, but showing a slight modification in the design;

FIG. 8 is a rear elevational view thereof in closed condition;

FIG. 9 is a top plan view thereof, shown broken in the center to indicate the continuous nature thereof;

FIG. 10 is a right side elevational view thereof

FIG. 11 is a left side elevational view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a front, right side and bottom perspective view of a wall track extrusion, in open condition, showing my new design similar to FIGS. 1 and 7 but showing a slight modification in the design;

FIG. 14 is a rear elevational view thereof in closed condition;

FIG. 15 is a top plan view thereof;

FIG. 16 is a right side elevational view thereof;

FIG. 17 is a left side elevational view thereof; and

FIG. 18 is a bottom plan view thereof.





