

[54] VEHICLE TIRE

[75] Inventors: Toshinori Furusawa, Osaka; Kohtaroh Tsutsumi, Tokyo, both of Japan

[73] Assignee: The Ohtsu Tire & Rubber Co., Ltd., Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 932,537

[22] Filed: Nov. 19, 1986

[30] Foreign Application Priority Data

May 30, 1986 [JP] Japan ..... 61-21022

[52] U.S. Cl. .... D12/149; D12/140

[58] Field of Search ..... D12/136, 140, 146-151; 152/209 R, 209 D, 209 B

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 284,460 7/1986 Kojima et al. .... D12/140
- D. 288,422 2/1987 Furusawa et al. .... D12/136

OTHER PUBLICATIONS

1985 Tread Design Guide, p. 231, Dunlop K190 (rear) Intermediate Terrian Dirt Tire & K 141 HT (rear) Hard Terrain Dirt Tire, third row down & second tire in from right & bottom left side of page respectively.

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—Armstrong, Nikaido Marmelstein & Kubovcik

[57] CLAIM


The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevation view of a vehicle tire showing our new design, the left side being a mirror image thereof;

FIG. 2 is a front elevation view thereof; and

FIG. 3 is perspective view thereof it being understood that the tread design is repeated uniformly throughout the circumference of the tire.






Fig. 1

FIG. 3




FIG. 2

