

[54] CARTESIAN COORDINATES TYPE ROBOT

[75] Inventors: Katsuji Kagayama, Nara; Benito Mishiro; Ikuo Nishimura, both of Osaka, all of Japan

[73] Assignee: Matsushita Electric Industrial Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 905,109

[22] Filed: Sep. 8, 1986

[30] Foreign Application Priority Data

Apr. 22, 1986 [JP] Japan 61-15007

[52] U.S. Cl. D15/199; D15/122

[58] Field of Search D15/122, 199; 414/749, 414/750; 901/16

[56] References Cited

U.S. PATENT DOCUMENTS

D. 289,406	4/1987	Shibayama et al.	D15/199
D. 289,407	4/1987	Shibayama et al.	D15/199
D. 292,003	9/1987	Imaizumi et al.	D15/199
D. 294,589	3/1988	Kajiya	D15/199
4,721,005	1/1988	Yoshiji et al.	414/749

OTHER PUBLICATIONS

Starobot catalogue dated 1985—Star Seiko.

Robotec C3000Series dated 1985—Daikin.

Nitoman MT catalogue dated 1985 (further dates unknown) Nitto Seiko.

NEC Assembly Robots NR-361B, NR-361D catalogue dated 1985.

GA100B Assembly Robot catalogue dated 1985, Fuji Electric.

Primary Examiner—B. J. Bullock

Assistant Examiner—Dominic Simone

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for a cartesian coordinates type robot, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a cartesian coordinates type robot showing our new design;

FIG. 2 is a rear, bottom and left side perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side elevational view thereof; and

FIG. 8 is a left side elevational view thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

